

MULTI SPRAY - MULTISPRAY

	Other means of identification:	
	Mixture identifier: contains: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	
	JFI: TYDW-E0AS-S00Y-C6WY	
L.2	Relevant identified uses of the substance or mixture and uses advised against:	
	Relevant uses: Multifunction spray suitable for many purposes.	
	Jses advised against: All uses not specified in this section or in section 7.3	
L .3	Details of the supplier of the safety data sheet:	
	Agencja Handlowa BOLL Wojciech Dalewski Spółka Jawna	
	ul. Chemiczna 3 55-713 Zielona Góra - Polska	
	Phone: 68 451 99 99 - Fax: 68 451 99 00	
	nuszcza@boll.pl	
1.4	Emergency telephone number:	

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H336 May cause drowsiness or dizziness.

Precautionary statements:

- P101: If medical advice is needed, have product container or label at hand.
- P102: Keep out of reach of children.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/eye protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking.

Substances that contribute to the classification

** Changes with regards to the previous version



SECTION 2: HAZARDS IDENTIFICATION ** (continued)

Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics

UFI: TYDW-E0AS-S00Y-C6WY

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: active ingredient mixture with a propellant. Propellant: propane - butane

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentrat
CAS:	64742-48-9	Hydrocarbons, C9-C	L1,n-alkanes, iso-alkanes, cyclics, <2% aromatics ⁽¹⁾ Self-cla	ssified
EC: Index: REACH:	919-857-5 Non-applicable 01-2119463258-33- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H336; EUH066 - Danger	25 - <50
	106-97-8	Butane ⁽¹⁾	ATP CL	P00
	203-448-7 601-004-00-0 01-2119474691-32- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	10 - <25
CAS:	74-98-6	Propane ⁽¹⁾	ATP CL	P00
	200-827-9 601-003-00-5 01-2119486944-21- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	10 - <25
	75-28-5	Isobutane ⁽¹⁾	ATP CLI	P00
	200-857-2 601-004-00-0 01-2119485395-27- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	1 - <2,5
CAS:	68608-26-4	Sulfonic acids, petro	leum, sodium salts ⁽¹⁾ Self-cla	ssified
EC: Index: REACH:	271-781-5 Non-applicable 01-2119527859-22- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	1 - <2,5

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:**

by initialation.

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:



MULTI SPRAY - MULTISPRAY

SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:



SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:20 °C

nuxinum remp.. 20 e

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

Revised: 22/11/2022

DNEL (Workers):

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Sulfonic acids, petroleum, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68608-26-4	Dermal	Non-applicable	Non-applicable	3,33 mg/kg	Non-applicable
EC: 271-781-5	Inhalation	Non-applicable	Non-applicable	0,66 mg/m ³	Non-applicable
DNEL (General population):					

Version: 5 (Replaced 4)



MULTI SPRAY - MULTISPRAY

		Short ex	xposure	Lon	g exposure
Identification		Systemic	Local	Systemic	Local
Sulfonic acids, petroleum, sodium salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 68608-26-4	Dermal	Non-applicable	Non-applicable	1,667 mg/kg	Non-applicable
EC: 271-781-5	Inhalation	Non-applicable	Non-applicable	0,33 mg/m ³	Non-applicable
PNEC:					
Identification					
Sulfonic acids, petroleum, sodium salts	STP	100 mg/L	Fresh water		1 mg/L
Sanonie delas, ped oleani, soulari sales		000700000	Marine water		1 mg/L
CAS: 68608-26-4	Soil	868700000 mg/kg	Marine water		I IIIY/L
	Soil Intermittent	10 mg/L	Sediment (Fresh	water)	723500000 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases, vapours and particles		EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face shield	CAT II	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E Body	protection
--------	------------

 Body protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks, with antistatic and fireproof properties	CAT III	EN 1149-1,2,3 EN 13034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN ISO 13688:2013 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.



MULTI SPRAY - MULTISPRAY

	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory foot protection	protectio risk, with resis	ty footwear for n against chemical antistatic and heat tant properties		EI	N ISO 13287:2020 N ISO 20345:2011 EN 13832-1:2019	Re	place boots at any sign of deterioration
F	Additional emerge	ency mea	asures					
	Emergency mea	asure	St	andards		Emergency measu	re	Standards
	*			5I Z358-1 11, ISO 3864-4:20	11	◎ + ⊤		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
	Emergency shower		Eyewash stations		5			
In a	vironmental exp	osure c	unity legislation			the environment it is	s recor	nmended to avoid environmenta
In a spill Vol a	vironmental exp accordance with the lage of both the p latile organic co	osure c ne comm roduct a mpound	unity legislation nd its container. ls:	For additional i	nforma	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol a With	vironmental exp accordance with th lage of both the p latile organic con h regard to Directi	osure c ne comm roduct a mpound	unity legislation nd its container. Is: /75/EU, this proc	For additional in duct has the fol	nforma	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol a With	vironmental exp accordance with the lage of both the p latile organic con h regard to Directi V.O.C. (Supply):	posure comm roduct a mpound ive 2010	unity legislation nd its container. Is: /75/EU, this proc 67,05	For additional in duct has the fol 5 % weight	nforma lowing	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol a With	vironmental exp accordance with the lage of both the p latile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at	ne comm roduct a mpound ive 2010 20 °C:	unity legislation nd its container. Is: /75/EU, this proc 67,05 479,6	For additional in duct has the fol	nforma lowing	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol a With	vironmental exp accordance with the lage of both the p latile organic con h regard to Directi V.O.C. (Supply):	ne comm roduct a mpound ive 2010 20 °C:	unity legislation nd its container. Is: /75/EU, this proc 67,05	For additional in duct has the fol 5 % weight	nforma lowing	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol	vironmental exp accordance with the lage of both the p latile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at	ne comm roduct a mpound ive 2010 20 °C: umber:	unity legislation nd its container. Is: /75/EU, this proc 67,05 479,6 10	For additional i duct has the fol 5 % weight 5 kg/m ³ (479,6	nforma lowing	the environment it is ation see subsection	s recor	nmended to avoid environmenta
In a spill Vol	vironmental exp accordance with the lage of both the p latile organic con h regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n	ne comm roduct a mpound ive 2010 20 °C: umber:	unity legislation nd its container. Is: /75/EU, this proc 67,05 479,6 10	For additional i duct has the fol 5 % weight 5 kg/m ³ (479,6	nforma lowing	the environment it is ation see subsection	s recor	nmended to avoid environmenta

Appearance:	
Physical state at 20 °C:	Aerosol
Appearance:	Fluid
Colour:	Characteristic
Odour:	Characteristic
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	-45 °C (Propellant)
Vapour pressure at 20 °C:	370000 Pa
Vapour pressure at 50 °C:	Non-applicable *
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	715 kg/m³
Relative density at 20 °C:	0,715
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	≤20,5 mm²/s
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
*Not relevant due to the nature of the product, not provi	ding information property of its hazards.



MULTI SPRAY - MULTISPRAY

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water miscible
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	0,6 % Volume
	Upper flammability limit:	10,9 % Volume
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Not applicable Not applicable Risk of combustion Avoid direct impact Not applicable	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.



SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Repeated exposure may cause skin dryness or cracking
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Butane	LD50 oral	>2000 mg/kg	
CAS: 106-97-8	LD50 dermal	>2000 mg/kg	
EC: 203-448-7	LC50 inhalation	658 mg/L (4 h)	Rat

** Changes with regards to the previous version



MULTI SPRAY - MULTISPRAY

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued Identification Acute toxicity Genus LD50 oral >2000 mg/kg Propane CAS: 74-98-6 LD50 dermal >2000 mg/kg EC: 200-827-9 LC50 inhalation >5 mg/L LD50 oral >5000 mg/kg Rat Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics >2000 mg/kg LD50 dermal CAS: 64742-48-9 LC50 inhalation EC: 919-857-5 >20 mg/L Isobutane LD50 oral >2000 mg/kg CAS: 75-28-5 LD50 dermal >2000 mg/kg EC: 200-857-2 LC50 inhalation >5 mg/L LD50 oral Sulfonic acids, petroleum, sodium salts >5000 mg/kg Rat CAS: 68608-26-4 LD50 dermal >5000 mg/kg Rabbit EC: 271-781-5 LC50 inhalation >20 mg/L **11.2** Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION *

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Substance-specific information:

Identification	5	adability	Biodegradability	
Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 64742-48-9	COD	Non-applicable	Period	28 days
EC: 919-857-5	BOD5/COD	Non-applicable	% Biodegradable	80 %

12.3 Bioaccumulative potential:

Substance-specific information:

	Identification	Bioaccumulation potential	
Butane		BCF	33
CAS: 106-97-8		Pow Log	2.89
EC: 203-448-7		Potential	Moderate
Propane		BCF	13
CAS: 74-98-6		Pow Log	2.86
EC: 200-827-9		Potential	Low
Isobutane		BCF	27
CAS: 75-28-5		Pow Log	2.76
EC: 200-857-2		Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
Butane	Кос	900	Henry	96258,75 Pa·m³/mol
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes
EC: 203-448-7	Surface tension	1,187E-2 N/m (25 °C)	Moist soil	Yes

** Changes with regards to the previous version



MULTI SPRAY - MULTISPRAY

SECTION 12: ECOLOGICAL INFORMATION Identification Absorption/desorption Volatility Кос 460 Henry 71636,78 Pa·m³/mol Propane Dry soil CAS: 74-98-6 Conclusion Moderate Yes EC: 200-827-9 Surface tension 7,02E-3 N/m (25 °C) Moist soil Yes 120576,75 Pa·m³/mol Isobutane Кос Henry 35 CAS: 75-28-5 Conclusion Dry soil Yes Very High EC: 200-857-2 Surface tension 9,84E-3 N/m (25 °C) Moist soil Yes 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet the criteria. 12.7 Other adverse effects: Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code Description		Waste class (Regulation (EU) No 1357/2014)	
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1	UN number or ID number:	UN1950
14.2	UN proper shipping name:	AEROSOLS
14.3	Transport hazard class(es):	2
	Labels:	2.1
14.4	Packing group:	N/A
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	190, 327, 344, 625
	Tunnel restriction code:	D
	Physico-Chemical properties:	see section 9
	Limited quantities:	1 L
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

Revised: 22/11/2022

- CONTINUED ON NEXT PAGE -

Version: 5 (Replaced 4)



TION 14: TRANSPOR	T INFORMATION (continued)			
Transport of dangerous goods by sea:				
With regard to IMDG				
	1 UN number or ID number:	UN1950 AEROSOLS		
	 UN proper shipping name: Transport hazard class(es): Labels: 	2 2.1		
	4 Packing group:	N/A No		
	5 Marine pollutant:6 Special precautions for user	NO		
• 14.	Special regulations: EmS Codes:	63, 959, 190, 277, 327, 344 F-D, S-U		
	Physico-Chemical properties:	see section 9		
	Limited quantities:	1 L		
	Segregation group:	Non-applicable		
14.	7 Maritime transport in bulk according to IMO instruments:	Non-applicable		
Transport of dange	rous goods by air:			
With regard to IATA/	CAO 2022:			
	1 UN number or ID number:	UN1950		
	2 UN proper shipping name:	AEROSOLS		
	3 Transport hazard class(es): Labels:	2 2.1		
2 14	4 Packing group:	2.1 N/A		
V	5 Environmental hazards:	No		
	6 Special precautions for user			
	Physico-Chemical properties:	see section 9		
14.	7 Maritime transport in bulk according to IMO instruments:	Non-applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements		
P3a	FLAMMABLE AEROSOLS	150	500		
Limitation	s to commercialisation and the use of certain dangerous substances and mix	xtures (Annex)	XVII REACH,		
etc): Shall not be used in: —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, —tricks and jokes,					
—games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Specific provisions in terms of protecting people or the environment:					



SECTION 15: REGULATORY INFORMATION (continued

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

Propane (74-98-6)

Removed substances

Distillates (petroleum), solvent-dewaxed heavy paraffinic, < 3 % DMSO (> 7 cSt 40°C, < 20.5 cSt 40°C) (64742-65-0) Substances that contribute to the classification (SECTION 2):

Removed substances

Distillates (petroleum), solvent-dewaxed heavy paraffinic, < 3 % DMSO (> 7 cSt 40°C, < 20.5 cSt 40°C) (64742-65-0) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H222: Extremely flammable aerosol.

H336: May cause drowsiness or dizziness.

H229: Pressurised container: May burst if heated.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Gas 1A: H220 - Extremely flammable gas.

Flam. Lig. 3: H226 - Flammable liquid and vapour.

Press. Gas: H280 - Contains gas under pressure, may explode if heated.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Aerosol 1: Calculation method STOT SE 3: Calculation method Aerosol 1: Calculation method Advice related to training:



SECTION 16: OTHER INFORMATION (continued Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 5 (Replaced 4)

Revised: 22/11/2022