This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER - SPRAY

Other means of identification:

UFI:

F11W-20DM-7005-ERX0

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Primer for the paint applied to plastics. In the aerosol.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Agencja Handlowa BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 huszcza@boll.pl

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 1: Flammable aerosols, Category 1, H222 Aerosol 1: Pressurised container: May burst if heated., H229 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2 (Oral), H373 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure (Oral).
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

P101: If medical advice is needed, have product container or label at hand.

- P102: Keep out of reach of children.
- P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P403: Store in a well-ventilated place.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane; Reaction mass of ethylbenzene and xylene

UFI: F11W-20DM-7005-ERX0

Additional labeling:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: active ingredient mixture with a propellant. Extruding gas: dimethyl ether

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification	Concentration	
CAS:	115-10-6	Dimethyl ether(1)	ATP CLP00	
EC: Index: REACH:	204-065-8 603-019-00-8 01-2119472128-37- XXXX	Regulation 1272/2008	Flam. Gas 1A: H220; Press. Gas: H280 - Danger	25 - <50 %
CAS:	Non-applicable 921-024-6 Non-applicable : 01-2119475514-35- XXXX	Hydrocarbons, C6-C7	7, n-alkanes, isoalkanes, cyclics, <5% n-hexane ⁽¹⁾ Self-classifie	d
EC: Index: REACH:		Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 - Danger	25 - <50 %
CAS:	Non-applicable	Hydrocarbons, C6-C7	7, isoalkanes, cyclics, <5% n-hexane ⁽¹⁾ Self-classifie	d
EC: Index: REACH:	926-605-8 Non-applicable 01-2119486291-36- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 2: H225; Skin Irrit. 2: H315; STOT SE 3: H336 - Danger	10 - <25 %

¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification				
CAS: Non-applicable EC: 905-588-0 Index: Non-applicable REACH: 01-2119539452-40- XXXX		Reaction mass of eth	ylbenzene and xylene ⁽¹⁾ Self-classified				
		Regulation 1272/2008	Acute Tox. 4: H312+H332; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning				
CAS: 100-41-4		Ethylbenzene ⁽¹⁾ ATP ATP06					
Index:	202-849-4 601-023-00-4 01-2119489370-35- XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Asp. Tox. 1: H304; Flam. Liq. 2: H225; STOT RE 2: H373 - Danger	0,1 - <1 %			
	108-90-7	Chlorobenzene ⁽¹⁾	ATP ATP09				
Index: 6 REACH: 0	203-628-5 602-033-00-1 01-2119432722-45- XXXX	Regulation 1272/2008	Acute Tox. 4: H332; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	0,1 - <0,25 %			

(1) Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂). **Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

- CONTINUED ON NEXT PAGE -

Revised: 21/05/2021 Version: 5 (Replaced 4)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 5: FIREFIGHTING MEASURES (continued)

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 7: HANDLING AND STORAGE (continued)

Minimum Temp.:	5 °C
Maximum Temp.:	20 °C
Maximum time:	24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupational exposure limits			
Dimethyl ether	vimethyl ether		1000 ppm	1920 mg/m ³	
CAS: 115-10-6	EC: 204-065-8	IOELV (STEL)			
Ethylbenzene		IOELV (8h)	100 ppm	442 mg/m ³	
CAS: 100-41-4	EC: 202-849-4	IOELV (STEL)	200 ppm	884 mg/m ³	
Chlorobenzene		IOELV (8h)	5 ppm	23 mg/m ³	
CAS: 108-90-7	EC: 203-628-5	IOELV (STEL)	15 ppm	70 mg/m ³	

DNEL (Workers):

		Short e	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Dimethyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-10-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-065-8	Inhalation	Non-applicable	Non-applicable	1894 mg/m ³	Non-applicable
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	773 mg/kg	Non-applicable
EC: 921-024-6	Inhalation	Non-applicable	Non-applicable	2035 mg/m ³	Non-applicable
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	13964 mg/kg	Non-applicable
EC: 926-605-8	Inhalation	Non-applicable	Non-applicable	5306 mg/m ³	Non-applicable
Reaction mass of ethylbenzene and xylene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	212 mg/kg	Non-applicable
EC: 905-588-0	Inhalation	442 mg/m ³	442 mg/m ³	221 mg/m ³	221 mg/m ³
Ethylbenzene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	180 mg/kg	Non-applicable
EC: 202-849-4	Inhalation	Non-applicable	293 mg/m ³	77 mg/m ³	Non-applicable
Chlorobenzene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 108-90-7	Dermal	15 mg/kg	Non-applicable	5 mg/kg	Non-applicable
EC: 203-628-5	Inhalation	70 mg/m ³	Non-applicable	23 mg/m ³	Non-applicable

DNEL (General population):

	Short exposure		Long exposure		
Identification		Systemic	Local	Systemic	Local
Dimethyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-10-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 204-065-8	Inhalation	Non-applicable	Non-applicable	471 mg/m³	Non-applicable



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

	Short	exposure	Long	exposure	
Identification	Systemic	Local	Systemic	Local	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Oral	Non-applicable	Non-applicable	699 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	699 mg/kg	Non-applicable
EC: 921-024-6	Inhalation	Non-applicable	Non-applicable	608 mg/m ³	Non-applicable
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	Oral	Non-applicable	Non-applicable	1301 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	1377 mg/kg	Non-applicable
EC: 926-605-8	Inhalation	Non-applicable	Non-applicable	1131 mg/m ³	Non-applicable
Reaction mass of ethylbenzene and xylene	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	125 mg/kg	Non-applicable
EC: 905-588-0	Inhalation	260 mg/m ³	260 mg/m ³	65,3 mg/m ³	65,3 mg/m ³
Ethylbenzene	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
CAS: 100-41-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 202-849-4	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable
Chlorobenzene	Oral	3 mg/kg	Non-applicable	3 mg/kg	Non-applicable
CAS: 108-90-7	Dermal	3 mg/kg	Non-applicable	3 mg/kg	Non-applicable
EC: 203-628-5	Inhalation	1 mg/m ³	Non-applicable	1 mg/m ³	Non-applicable

PNEC:

Identification				
Dimethyl ether	STP	160 mg/L	Fresh water	0,155 mg/L
CAS: 115-10-6	Soil	0,045 mg/kg	Marine water	0,016 mg/L
EC: 204-065-8	Intermittent	1,549 mg/L	Sediment (Fresh water)	0,681 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,069 mg/kg
Reaction mass of ethylbenzene and xylene	STP	6,58 mg/L	Fresh water	0,327 mg/L
CAS: Non-applicable	Soil	2,31 mg/kg	Marine water	0,327 mg/L
EC: 905-588-0	Intermittent	0,327 mg/L	Sediment (Fresh water)	12,46 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	12,46 mg/kg
Ethylbenzene	STP	9,6 mg/L	Fresh water	0,1 mg/L
CAS: 100-41-4	Soil	2,68 mg/kg	Marine water	0,01 mg/L
EC: 202-849-4	Intermittent	0,1 mg/L	Sediment (Fresh water)	13,7 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	1,37 mg/kg
Chlorobenzene	STP	1,4 mg/L	Fresh water	0,032 mg/L
CAS: 108-90-7	Soil	0,166 mg/kg	Marine water	0,003 mg/L
EC: 203-628-5	Intermittent	Non-applicable	Sediment (Fresh water)	0,922 mg/kg
	Oral	0,01 g/kg	Sediment (Marine water)	0,092 mg/kg

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks				
	Mandatory respiratory tract protection	Filter mask for gases, vapours and particles		EN 149:2001+A1:2009 EN 405:2002+A1:2010 EN ISO 136:1998	Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.				
C	C Specific protection for the hands								

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

BOLL

legislation GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -

SPRAY

	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory hand protection		ve gloves against ninor risks	CATI			prolo profes CE III	ce gloves in case of any sign of damage. nged periods of exposure to the product sional users/industrials, we recommend i gloves in line with standards EN 420:20 L:2010 and EN ISO 374-1:2016+A1:2018
	As the product is						erial ca	n not be calculated in advance wi
	total reliability and Eye and face prot		erefore to be che	cked prior to th	ne appli	cation.		
D				Laballina		CEN Chan doud		Demandra
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection		nic glasses against sh/projections.	CAT II	El	EN 166:2002 N ISO 4007:2018		n daily and disinfect periodically according nanufacturer ´s instructions. Use if there risk of splashing.
E	Body protection							
	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory complete body protection		tic and fireproof ective clothing		E E EN	N 1149-1:2006 N 1149-2:1997 N 1149-3:2004 EN 168:2002 ISO 14116:2015 N 1149-5:2018		Limited protection against flames.
	Mandatory foot protection	antistatio	y footwear with and heat resistant properties			ISO 13287:2020 ISO 20345:2011	Re	eplace boots at any sign of deterioration.
F	Additional emerge	ency mea	asures					
	Emergency mea	asure	St	andards		Emergency meas	sure	Standards
	Emergency sho	Nuer		SI Z358-1 11, ISO 3864-4:20	011	Eyewash statio	nc	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201:
E	· · · ·		ontrolo.			Lyewash statio	113	
In a spil	vironmental exp accordance with th lage of both the p latile organic co	ne comm roduct a	unity legislation nd its container.					mmended to avoid environmental
Wit	h regard to Direct	ive 2010	/75/EU, this proc	luct has the fol	lowing	characteristics:		
	V.O.C. (Supply):		98,19	% weight				
	V.O.C. density at	20 ºC:	713,9	kg/m³ (713,9) g/L)			
	Average carbon n	umber:	6,96					
	Average molecula	ır weight	: 96,35	g/mol				
Wit	h regard to Direct	ive 2004	/42/EC, this proc	luct which is re	ady to	use has the follow	ving cha	aracteristics:
	V.O.C. density at	20 ºC:	713,9	kg/m³ (713,9) g/L)			
	EU limit for the p	roduct (C	Cat. B.E): 840 g/	L (2010)				
	Components:			applicable				

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

*Not relevant due to the nature of the product, not providing information property of its hazards.



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER - SPRAY

SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Aerosol
	Appearance:	Characteristic
	Colour:	Colourless
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	-25 °C (Propellant)
	Vapour pressure at 20 °C:	399967 Pa
	Vapour pressure at 50 °C:	Non-applicable *
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	727 kg/m³
	Relative density at 20 °C:	0,727
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Insoluble in water
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	0,8 % Volume
	Upper flammability limit:	18,6 % Volume
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	rmation property of its bazards
	*Not relevant due to the nature of the product, not providing info	nnauon property of its fidzarus.

- CONTINUED ON NEXT PAGE -

Revised: 21/05/2021

Version: 5 (Replaced 4)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Surface tension at 20 °C:

Non-applicable *

Refraction index:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity						
	Not applicable Not applicable		Risk of combustion	Avoid direct impact	Not applicable						
Tes											

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

ION 11: TOXICOLOGICAL INFORMATION (continued)			
 Carcinogenicity: Based on available data, the classification cr as hazardous for the effects mentioned. For more information se IARC: Ethylbenzene (2B); Reaction mass of ethylbenzene and Mutagenicity: Based on available data, the classification crite hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classificat classified as hazardous for this effect. For more information see Sensitizing effects: 	ee section 3. l xylene (3) ria are not met, as it do ion criteria are not met,	es not contain substar	nces classifi
 Respiratory: Based on available data, the classification criterion hazardous with sensitising effects. For more information see sec Skin: Based on available data, the classification criteria are not set of the second seco	ction 3.		
 hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: 			
Exposure in high concentration can interfere with the central ne vomiting, confusion, and in serious cases, loss of consciousnessG- Specific target organ toxicity (STOT)-repeated exposure:		eadache, dizziness, ve	rtigo, nause
 Specific target organ toxicity (STOT)-repeated exposure: Exp nervous system causing headache, dizziness, vertigo, nausea, ver consciousness. Skin: Based on available data, the classification criteria are ne hazardous for this effect. For more information see section 3. H- Aspiration hazard: 	omiting, confusion, and	in serious cases, loss	of
Based on available data, the classification criteria are not met. for this effect. For more information see section 3.	However, it does contain	n substances classified	as hazardo
	However, it does contain	n substances classified	as hazardo
for this effect. For more information see section 3. Other information: Non-applicable		n substances classified	as hazardo
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances:		cute toxicity >2000 mg/kg	
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6	LD50 oral LD50 dermal	cute toxicity >2000 mg/kg >2000 mg/kg	
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether	LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h)	Gen
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6	LD50 oral LD50 dermal LC50 inhalation LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg	Gen Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8	LD50 oral LD50 dermal LC50 inhalation	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg	Gen Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	LD50 oral LD50 dermal LC50 inhalation LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >200 mg/kg	Gen Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LC50 inhalation LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg	Gen Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 dermal LD50 inhalation	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg	Gen Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LC50 inhalation LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg	Gen Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 oral LD50 oral LD50 oral LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg	Gen Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8	A LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 oral LD50 oral LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 dermal	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg	Gen Ra Ra Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene	A LD50 oral LD50 dermal LC50 inhalation LD50 oral LD50 oral LC50 inhalation LD50 oral LD50 dermal LD50 dermal LD50 dermal LD50 oral LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg	Gen Ra Ra Ra Ra Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene CAS: Non-applicable	LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 dermal LD50 oral LD50 oral LD50 oral LD50 dermal LD50 oral LD50 oral LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >200 mg/L >200 mg/kg >200 mg/kg >200 mg/kg	Gen Ra Ra Ra Ra Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene CAS: Non-applicable EC: 905-588-0	A LD50 oral LD50 dermal LD50 dermal LD50 dermal LD50 oral LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 oral LD50 oral LD50 oral LD50 oral LD50 oral LD50 dermal	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg 1100 mg/kg 11 mg/L (4 h)	Gen Ra Ra Ra Ra Ra Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene CAS: Non-applicable EC: 905-588-0 Ethylbenzene	LD50 oralLD50 dermalLD50 dermalLC50 inhalationLD50 dermalLD50 dermalLD50 oralLD50 oralLD50 dermalLD50 dermalLD50 dermalLD50 oralLD50 oralLD50 oralLD50 oralLD50 oralLD50 oralLD50 oralLD50 oralLD50 dermalLD50 dermalLD50 dermalLD50 oralLD50 oralLD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg >2000 mg/kg 100 mg/kg 11 mg/L (4 h) 3500 mg/kg	Gen Ra Ra Ra Ra Ra Ra Ra Ra Ra Ra
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene CAS: Non-applicable EC: 905-588-0 Ethylbenzene CAS: 100-41-4	A LD50 oral LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 oral LD50 oral	cute toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg 1100 mg/kg 11 mg/L (4 h) 3500 mg/kg 15354 mg/kg	
for this effect. For more information see section 3. Other information: Non-applicable Specific toxicology information on the substances: Identification Dimethyl ether CAS: 115-10-6 EC: 204-065-8 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 921-024-6 Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane CAS: Non-applicable EC: 926-605-8 Reaction mass of ethylbenzene and xylene CAS: Non-applicable EC: 905-588-0 Ethylbenzene CAS: 100-41-4 EC: 202-849-4	A LD50 oral LD50 dermal LC50 inhalation LD50 dermal LD50 oral LD50 oral LD50 oral LD50 oral LD50 oral LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 dermal LD50 dermal LD50 oral LD50 dermal LD50 dermal LD50 oral LD50 dermal LD50 oral LD50 oral LD50 dermal LD50 dermal LD50 oral LD50 dermal LD50 oral LD50 dermal	cute: toxicity >2000 mg/kg >2000 mg/kg 308,5 mg/L (4 h) 5840 mg/kg 2920 mg/kg 2920 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg >2000 mg/kg 1100 mg/kg 11 ng/L (4 h) 3500 mg/kg 15354 mg/kg 17,2 mg/L (4 h)	Gen Ra Ra Ra Ra Ra Ra Ra Ra Ra Ra Rab

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	LC50	5,1 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: Non-applicable	EC50	Non-applicable		
EC: 921-024-6	EC50	Non-applicable		
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: Non-applicable	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 926-605-8	EC50	>1 - 10 mg/L (72 h)		Algae
Ethylbenzene	LC50	42,3 mg/L (96 h)	Pimephales promelas	Fish
CAS: 100-41-4	EC50	75 mg/L (48 h)	Daphnia magna	Crustacean
EC: 202-849-4	EC50	63 mg/L (3 h)	Chlorella vulgaris	Algae
Chlorobenzene	LC50	7,4 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 108-90-7	EC50	19,9 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-628-5	EC50	12,5 mg/L (96 h)	Selenastrum capricornutum	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	NOEC	Non-applicable		
CAS: Non-applicable EC: 921-024-6	NOEC	0,17 mg/L	Daphnia magna	Crustacean
Reaction mass of ethylbenzene and xylene	NOEC	1,3 mg/L	Oncorhynchus mykiss	Fish
CAS: Non-applicable EC: 905-588-0	NOEC	1,17 mg/L	Ceriodaphnia dubia	Crustacean
Ethylbenzene	NOEC	Non-applicable		
CAS: 100-41-4 EC: 202-849-4	NOEC	0,96 mg/L	Ceriodaphnia dubia	Crustacean
Chlorobenzene	NOEC	4,8 mg/L	Danio rerio	Fish
CAS: 108-90-7 EC: 203-628-5	NOEC	0,32 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradab	ility
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	BOD5	Non-applicable	Concentration	Non-applicable
CAS: Non-applicable	COD	Non-applicable	Period	28 days
EC: 921-024-6	BOD5/COD	Non-applicable	% Biodegradable	98 %
Ethylbenzene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 100-41-4	COD	Non-applicable	Period	14 days
EC: 202-849-4	BOD5/COD	Non-applicable	% Biodegradable	90 %
Chlorobenzene	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 108-90-7	COD	Non-applicable	Period	28 days
EC: 203-628-5	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
Reaction mass of ethylbenzene and xylene	BCF	9
CAS: Non-applicable	Pow Log	2.77
EC: 905-588-0	Potential	Low
Ethylbenzene	BCF	1
CAS: 100-41-4	Pow Log	3.15
EC: 202-849-4	Potential	Low

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 12: ECOLOGICAL INFORMATION (continued)						
	Identification Bioaccumulation potential					
	Chlorobenzene	E	BCF	22		
	CAS: 108-90-7		Pow Log	2.84		
	EC: 203-628-5	F	Potential	Low		
12.4	2.4 Mobility in soil:					
	Identification Absorption/desorption Volatility					

Identification	Absorpt	ion/desorption	Volati	lity
Dimethyl ether	Кос	Non-applicable	Henry	Non-applicable
CAS: 115-10-6	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-065-8	Surface tension	1,136E-2 N/m (25 °C)	Moist soil	Non-applicable
Ethylbenzene	Кос	520	Henry	798,44 Pa·m ³ /mol
CAS: 100-41-4	Conclusion	Moderate	Dry soil	Yes
EC: 202-849-4	Surface tension	2,859E-2 N/m (25 °C)	Moist soil	Yes
Chlorobenzene	Кос	Non-applicable	Henry	Non-applicable
CAS: 108-90-7	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-628-5	Surface tension	3,293E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

Revised: 21/05/2021

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

Version: 5 (Replaced 4)

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLL

GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

14.1UN number or ID number:UN195014.2UN proper shipping name:AEROSOLS14.3Transport hazard class(es):2Labels:2.1	
14.4 Packing group: N/A 14.5 Environmental hazards: Yes	
14.6 Special precautions for userSpecial regulations:190, 327, 344, 6Tunnel restriction code:DPhysico-Chemical properties:see section 9Limited quantities:1 L	525
14.7 Maritime transport in bulk Non-applicable according to IMO instruments:	
Transport of dangerous goods by sea:	
With regard to IMDG 40-20:	
14.1 UN number or ID number: UN1950	
14.2 UN proper shipping name: AEROSOLS	
14.3 Transport hazard class(es): 2 Labels: 2.1	
14.4 Packing group: N/A	
14.5 Marine pollutant: Yes	
14.6 Special precautions for user	
Special regulations: 63, 959, 190, 27	77, 327, 344
EmS Codes: F-D, S-U	
Physico-Chemical properties: see section 9	
Limited quantities: 1 L	
Segregation group: Non-applicable	
14.7 Maritime transport in bulk Non-applicable according to IMO instruments:	
Transport of dangerous goods by air:	
With regard to IATA/ICAO 2022:	
A 14.1 UN number or ID number: UN1950	
4EROSOLS 14.2 UN proper shipping name: AEROSOLS	
14.3 Transport hazard class(es): 2	
Labels: 2.1	
14.4 Packing group: N/A	
14.5 Environmental hazards: Yes	
14.6 Special precautions for user	
Physico-Chemical properties: see section 9	
14.7 Maritime transport in bulk Non-applicable according to IMO instruments:	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P3a	FLAMMABLE AEROSOLS	150	500
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Substances that contribute to the classification (SECTION 2):

· New declared substances

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Reaction mass of ethylbenzene and xylene

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

· Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H222: Extremely flammable aerosol.

H315: Causes skin irritation.

H319: Causes serious eve irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H373: May cause damage to organs through prolonged or repeated exposure (Oral).

Revised: 21/05/2021

H229: Pressurised container: May burst if heated.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Version: 5 (Replaced 4)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



GRUNT DO TWORZYW SZTUCZNYCH SPRAY - PLASTIC PRIMER -SPRAY

SECTION 16: OTHER INFORMATION (continued) Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled. Acute Tox. 4: H332 - Harmful if inhaled. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Flam. Gas 1A: H220 - Extremely flammable gas. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour. Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Irrit. 2: H315 - Causes skin irritation. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. STOT SE 3: H336 - May cause drowsiness or dizziness. **Classification procedure:** Aerosol 1: Calculation method Skin Irrit. 2: Calculation method Eye Irrit. 2: Calculation method STOT SE 3: Calculation method Aquatic Chronic 2: Calculation method STOT RE 2: Calculation method Aerosol 1: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Version: 5 (Replaced 4)

Revised: 21/05/2021