

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

SEC	TION 1: IDENTIFICATION OF	THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY				
	Other means of identification	:				
	UFI:	NTV3-302X-X008-JNFR				
1.2	Relevant identified uses of th	e substance or mixture and uses advised against:				
	Relevant uses: Mixture intended	to locate any pipe leaks. Application in workshops and in the automotive industry.				
	Uses advised against: All uses no	t specified in this section or in section 7.3				
1.3	Details of the supplier of the	safety data sheet:				
	Agencja Handlowa BOLL Wojciech	h Dalewski Spółka Jawna				
	ul. Chemiczna 3					
	65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 45	51 99 00				
	huszcza@boll.pl					
1.4	Emergency telephone numbe	r:				
SECT	TION 2: HAZARDS IDENTIFIC	ATION **				
2.1	Classification of the substanc	e or mixture:				
	CLP Regulation (EC) No 1272/2008:					
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.					
	Aerosol 3: Pressurised container:	May burst if heated., H229				
	Eye Irrit. 2: Eye irritation, Catego					
2.2	Skin Irrit. 2: Skin irritation, Categ	JOIN 2, LIST2				
	CLP Regulation (EC) No 1272/2008:					
	CLP Regulation (EC) NO 1272/2008: Warning					
	\wedge					
	Hazard statements:					
	H229 - Pressurised container: May burst if heated. H315 - Causes skin irritation.					
	H319 - Causes serious eye irritation.					
	Precautionary statements:					
	P102: Keep out of reach of childr					
	P210: Keep away from heat, hot P251: Do not pierce or burn, eve	surfaces, sparks, open flames and other ignition sources. No smoking.				
	P302+P352: IF ON SKIN: Wash	with plenty of water.				
		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy				
	do. Continue rinsing. P362+P364: Take off contaminat	ed clothing and wash it before reuse.				
	P410+P412: Protect from sunligh	nt. Do not expose to temperatures exceeding 50 °C/122°F				
	UFI: NTV3-302X-X008-JNFR					
2.3	Other hazards:					
	Product fails to meet PBT/vPvB c	riteria				

3.1 Substance:



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixture:

Chemical description: a mixture of organic and auxiliary substances and an extrudate gas - carbon dioxide **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification			
CAS:	124-38-9	Carbon dioxide ⁽¹⁾ Self-classified				
	204-696-9 Non-applicable Non-applicable	Regulation 1272/2008	Press. Gas: H280 - Warning	<2,5 %		
EC: Index:	Non-applicable	Poly (oxy-1,2- ethan ethers, phosphates ⁽¹	hediyl), alpha-hydro-omega-hydroxy-mono- C12-C14-alkyl Self-classified			
	Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	<1 %		

⁽¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

SECTION 5: FIREFIGHTING MEASURES (continued)

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C



SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 20 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
Carbon dioxide	IOELV (8h)	5000 ppm	9000 mg/m ³	
CAS: 124-38-9 EC: 204-696-9	IOELV (STEL)			

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Compulsory use of face mask	Filter mask for particles		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

Version: 6 (Replaced 5)

D.- Eye and face protection

Revised: 11/10/2021



	Pictogram	PPE		Labelling		CEN Standard		Remarks
	Mandatory face protection	Panoramic glasse splash/projec		CAT II	E	EN 166:2002 N ISO 4007:2018		daily and disinfect periodically according to anufacturer´s instructions. Use if there is a risk of splashing.
E	Body protection							
	Pictogram	PPE		Labelling		CEN Standard		Remarks
		Work cloth	ing	CATI			period recom	ce before any evidence of deterioration. Fo Is of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-slip work	shoes	CAT II	EN	NISO 20347:2012	perioo recom	ce before any evidence of deterioration. Fo ds of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerge	ency measures		•				
	Emergency mea	sure	St	andards		Emergency measu	ire	Standards
	IS Emergency shower			NSI Z358-1 011, ISO 3864-4:2011		Eyewash station	s	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:		
Physical state at 20 °C:	Aerosol	
Appearance:	Fluid	
Colour:	Colourless	
Odour:	Odourless	
Odour threshold:	Non-applicable *	
Volatility:		
Boiling point at atmospheric pressure:	Non-applicable *	
Vapour pressure at 20 °C:	Non-applicable *	
Vapour pressure at 50 °C:	<300000 Pa (300 kPa)	
Evaporation rate at 20 °C:	Non-applicable *	
Product description:		
Density at 20 °C:	1000 kg/m³	
Relative density at 20 °C:	1	
Dynamic viscosity at 20 °C:	Non-applicable *	
Kinematic viscosity at 20 °C:	Non-applicable *	
Kinematic viscosity at 40 °C:	Non-applicable *	
*Not relevant due to the nature of the product, not provi	ding information property of its hazards.	



SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	S (continued)
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Completely miscible
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard class	ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	The pressure and density values for water.	
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

SECTION 10: STABILITY AND REACTIVITY (continued)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Revised: 11/10/2021

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Version: 6 (Replaced 5)

Other information:

Non-applicable



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific toxicology information on the substances:

Identification	Acu	Acute toxicity		
Carbon dioxide	LD50 oral	>2000 mg/kg		
CAS: 124-38-9	LD50 dermal	>2000 mg/kg		
EC: 204-696-9	LC50 inhalation	>5 mg/L		
Poly (oxy-1,2- ethanediyl), alpha-hydro-omega-hydroxy-mono- C12-C14-alkyl ethers, phosphates	LD50 oral	>2000 mg/kg		
CAS: 68511-37-5	LD50 dermal	>2000 mg/kg		
EC: Non-applicable	LC50 inhalation	Non-applicable		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
Carbon dioxide	Кос	Non-applicable	Henry	Non-applicable
CAS: 124-38-9	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-696-9	Surface tension	5,7E-4 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
15 01 11* 16 05 04*	metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers gases in pressure containers (including halons) containing hazardous substances	Non dangerous
		Non dangerous
on-applicab	le	

Waste management (disposal and evaluation):



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

		1 and RID 2021:	
		UN number or ID number:	UN1950
		UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
$\langle \rangle$		Labels:	2.2
2		Packing group:	N/A
		Environmental hazards:	No
	14.6	Special precautions for user	
		Special regulations:	190, 327, 344, 625
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of d	langero	us goods by sea:	
With regard to I	IMDG 40	-20:	
	14.1	UN number or ID number:	UN1950
	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.2
	14.4	Packing group:	N/A
2	14.5	Marine pollutant:	No
	14.6	Special precautions for user	
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
		Segregation group:	Non-applicable
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable





SECTION 14: TRANSPORT	INFORMATION (continued)	
14.3 14.3 14.4 14.4	 UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user 	UN1950 AEROSOLS 2 2.2 N/A No
14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Carbon dioxide (Product-type 15, 18)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



WYKRYWACZ NIESZCZELNOŚCI - LEAK DETECTOR - SPRAY

The SDS s	hall be supplied in an official language of the country where the product is placed on the market. This safety dat
	designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907 SION REGULATION (EU) 2020/878).
Modificat	tions related to the previous Safety Data Sheet which concerns the ways of managing risks.:
	ation (EC) No 1272/2008 (SECTION 2, SECTION 16):
	tionary statements
Texts of	the legislative phrases mentioned in section 2:
	ises skin irritation.
H319: Cau	ises serious eye irritation.
H229: Pre	ssurised container: May burst if heated.
Texts of	the legislative phrases mentioned in section 3:
	es indicated do not refer to the product itself; they are present merely for informative purposes and refer to the
	components which appear in section 3
	Ilation (EC) No 1272/2008:
-	1: H318 - Causes serious eye damage.
	: H280 - Contains gas under pressure, may explode if heated.
Skin Irrit.	2: H315 - Causes skin irritation.
Classifica	ition procedure:
Skin Irrit.	2: Calculation method
Eye Irrit. 2	2: Calculation method
Aerosol 3:	Calculation method
Advice re	lated to training:
Training is	recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehensio
interpretat	ion of this safety data sheet, as well as the label on the product.
Principal	bibliographical sources:
http://ech	a.europa.eu
http://eur	lex.europa.eu
Abbrevia	tions and acronyms:
ADR: Euro	pean agreement concerning the international carriage of dangerous goods by road
	ernational maritime dangerous goods code
	rnational Air Transport Association
	ernational Civil Aviation Organisation
	mical Oxygen Demand
	ay biochemical oxygen demand
	procentration factor
	nal Dose 50
	nal Concentration 50
	ctive concentration 50 Octanolwater partition coefficient
	ion coefficient of organic carbon
	le formula identifier
	ernational Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Version: 6 (Replaced 5)

Revised: 11/10/2021