

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

Other means of identification:

UFI:

X218-C6T0-Q00Y-CMY1

# **1.2** Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: The product is intended for cleaning dirty surfaces.

Uses advised against: All uses not specified in this section or in section 7.3

# 1.3 Details of the supplier of the safety data sheet:

Agencja Handlowa BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 huszcza@boll.pl

# **1.4** Emergency telephone number:

# SECTION 2: HAZARDS IDENTIFICATION \*\*

# 2.1 Classification of the substance or mixture:

# CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

## 2.2 Label elements:

## CLP Regulation (EC) No 1272/2008:

Danger



# Hazard statements:

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

# **Precautionary statements:**

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Substances that contribute to the classification

propan-2-ol

UFI: X218-C6T0-Q00Y-CMY1

## 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Chemical description: An aqueous solution of the substances listed below.

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		
	propan-2-ol(1)	ATP CLP00	
200-661-7 603-117-00-0 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	70 - <100 %
	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-	67-63-0 200-661-7 503-117-00-0 01-2119457558-25- <b>Propan-2-ol(1)</b> <b>Regulation 1272/2008</b>	propan-2-ol(1)     ATP CLP00       200-661-7     Regulation 1272/2008     Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger

 $^{(1)}$  Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

## Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## Additional provisions:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

#### SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

# For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	20 °C
Maximum time:	24 Months

B.- General conditions for storage



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

#### SECTION 7: HANDLING AND STORAGE (continued)

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable

## DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable

## PNEC:

Identification				
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	PPE Labelling CEN Standard		Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

	Pictogram	PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection	Panoramic glasses agai splash/projections.	ist CAT II	E	EN 166:2002 N ISO 4007:2018	Clean daily and disinfect periodically according the manufacturer's instructions. Use if there risk of splashing.	
E	E Body protection						
	Pictogram	PPE	Labelling		CEN Standard		Remarks
		Work clothing	CATI			perioo recom	ce before any evidence of deterioration. Fo ds of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-slip work shoes	CAT II	Eľ	N ISO 20347:2012	perioo recom	ce before any evidence of deterioration. Fo ds of prolonged exposure to the product fo professional/industrial users CE III is mended, in accordance with the regulation EN ISO 20345:2012 y EN 13832-1:2007
F	Additional emerge	ency measures					
	Emergency mea	isure	Standards		Emergency measu	ire	Standards
	Emergency sho		ANSI Z358-1 O 3864-1:2011, ISO 3864-4:2011		Evewash stations		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Liquid impregnated into a solid support
Colour:	Colourless
Odour:	Alcohol
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	>80 °C
Vapour pressure at 20 °C:	<4300 Pa
Vapour pressure at 50 °C:	Non-applicable *
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	800 kg/m³
Relative density at 20 °C:	0,8
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	>20,5 mm²/s
*Not relevant due to the nature of the product, not provide	ing information property of its hazards.



# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	S (continued)
	Concentration:	Non-applicable *
	pH:	6,5 - 7,5
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Highly water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	13 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	400 °C
	Lower flammability limit:	2 % Volume
	Upper flammability limit:	>12 % Volume
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction Contact with air		Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable	
10.5	0.5 Incompatible materials:					
	Acida	W/stor	Ovidising motorials	Combustible motoriale	Othors	

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
 	• ·			

# **10.6** Hazardous decomposition products:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

#### SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: propan-2-ol (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:
  - Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

## Other information:

Non-applicable

# Specific toxicology information on the substances:

Revised: 13/05/2020

- CONTINUED ON NEXT PAGE -

Version: 4 (Replaced 3)



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

#### SECTION 11: TOXICOLOGICAL INFORMATION (continued) Identification Acute toxicity Genus propan-2-ol LD50 oral 5280 mg/kg Rat CAS: 67-63-0 LD50 dermal 12800 mg/kg Rat EC: 200-661-7 LC50 inhalation 72,6 mg/L (4 h) Rat 11.2 Information on other hazards: **Endocrine disrupting properties** Endocrine-disrupting properties: The product fails to meet the criteria. **Other information** Non-applicable The experimental information related to the eco-toxicological properties of the product itself is not available 12.1 Toxicity: Acute toxicity: Identification Concentration Species Genus 9640 mg/L (96 h) Fish propan-2-ol LC50 **Pimephales** promelas EC50 13299 mg/L (48 h) CAS: 67-63-0 Daphnia magna Crustacean EC: 200-661-7 **FC50** 1000 mg/L (72 h) Scenedesmus subspicatus Algae 12.2 Persistence and degradability: Substance-specific information: Identification Degradability Biodegradability propan-2-ol BOD5 1,19 g O2/g Concentration 100 mg/L CAS: 67-63-0 COD 2,23 g O2/g Period 14 days EC: 200-661-7 BOD5/COD 0,53 % Biodegradable 86 % 12.3 Bioaccumulative potential: Substance-specific information:

Identification	Bioaccumulation potential		
propan-2-ol	BCF	3	
CAS: 67-63-0	Pow Log	0.05	
EC: 200-661-7	Potential	Low	

# 12.4 Mobility in soil:

Identification	Absorpti	on/desorption	Volati	ility
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m <sup>3</sup> /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

# 12.7 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances	Dangerous	

# Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION \*\*

# Transport of dangerous goods by land:

With regard to Al	DR 202	1 and RID 2021:	
	14.1	UN number or ID number:	UN3175
	14.2	UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	14.3	Transport hazard class(es):	4.1
		Labels:	4.1
	14.4	Packing group:	II
	14.5	Environmental hazards:	No
	14.6	Special precautions for user	
		Special regulations:	216, 274, 601
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 kg
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of da	angero	us goods by sea:	
With regard to IN	1DG 40	-20:	
	14.1	UN number or ID number:	UN3175
	14.2	UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	14.3	Transport hazard class(es):	4.1
		Labels:	4.1
	14.4	Packing group:	II
4	14.5	Marine pollutant:	No
`♥	14.6	Special precautions for user	
		Special regulations:	274, 216
		EmS Codes:	F-A, S-I
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 kg
		Segregation group:	Non-applicable
-		Maritime transport in bulk according to IMO instruments:	Non-applicable
i ransport of da	angero	us goods by air:	

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Revised: 13/05/2020

Version: 4 (Replaced 3)



# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

SECTION 14: TRANS	PORT INFORMATION ** (continue	ed)
With regard to IA	ATA/ICAO 2022:	
	<ul> <li>14.1 UN number or ID number:</li> <li>14.2 UN proper shipping name:</li> <li>14.3 Transport hazard class(es): Labels:</li> <li>14.4 Packing group:</li> <li>14.5 Environmental hazards:</li> <li>14.6 Special precautions for use</li> </ul>	4.1 II No
	Physico-Chemical properties: 14.7 Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable

\*\* Changes with regards to the previous version

 

 SECTION 15: REGULATORY INFORMATION

 **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

## Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

## Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

# **15.2** Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION \*\*

#### Legislation related to safety data sheets:

\*\* Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

# SZMATKA ODTŁUSZCZAJĄCA - DEGREASING CLOTH

h	he SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data s as been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2 COMMISSION REGULATION (EU) 2020/878).
	lodifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:
	LP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
C	· Hazard statements
	· Precautionary statements
Т	RANSPORT INFORMATION (SECTION 14):
	· UN number
Т	exts of the legislative phrases mentioned in section 2:
Н	319: Causes serious eye irritation.
	336: May cause drowsiness or dizziness.
	225: Highly flammable liquid and vapour.
	exts of the legislative phrases mentioned in section 3:
	he phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
С	LP Regulation (EC) No 1272/2008:
Е	ye Irrit. 2: H319 - Causes serious eye irritation.
	lam. Liq. 2: H225 - Highly flammable liquid and vapour.
S	TOT SE 3: H336 - May cause drowsiness or dizziness.
С	lassification procedure:
	ye Irrit. 2: Calculation method
	TOT SE 3: Calculation method
	lam. Liq. 2: Calculation method (2.6.4.3)
	dvice related to training:
	raining is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension a
	Iterpretation of this safety data sheet, as well as the label on the product.
	rincipal bibliographical sources:
	ttp://echa.europa.eu
	ttp://eur-lex.europa.eu
	bbreviations and acronyms:
	DR: European agreement concerning the international carriage of dangerous goods by road MDG: International maritime dangerous goods code
	ATA: International Air Transport Association
	CAO: International Civil Aviation Organisation
	OD: Chemical Oxygen Demand
	OD5: 5day biochemical oxygen demand
В	CF: Bioconcentration factor
Ľ	D50: Lethal Dose 50
	C50: Lethal Concentration 50
	C50: Effective concentration 50
	ogPOW: Octanolwater partition coefficient
	oc: Partition coefficient of organic carbon IFI: unique formula identifier
	ARC: International Agency for Research on Cancer
1/	

\*\* Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.