This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS -1.1 **Product identifier:** SPRAY Other means of identification: UFI: SN8H-8D3S-R00K-5VN0 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Cleaner Uses advised against: All uses not specified in this section or in section 7.3 Details of the supplier of the safety data sheet: 1.3 Agencja Handlowa BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 huszcza@boll.pl 1.4 **Emergency telephone number:** 

### SECTION 2: HAZARDS IDENTIFICATION \*\*

### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aerosol 3: Pressurised container: May burst if heated., H229 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1B: Skin corrosion, Category 1B, H314

### 2.2 Label elements:

### CLP Regulation (EC) No 1272/2008:

Danger



#### Hazard statements:

H229 - Pressurised container: May burst if heated.

H314 - Causes severe skin burns and eye damage.

### Precautionary statements:

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

### Substances that contribute to the classification

potassium hydroxide

UFI: SN8H-8D3S-R00K-5VN0

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

**Chemical description:** a mixture of organic and auxiliary substances and an extrudate gas

# Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	111-76-2	2-butoxyethanol <sup>(1)</sup>	ATP ATP15	
	203-905-0 603-014-00-0 01-2119475108-36- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	2,5 - <5 %
CAS:	1310-58-3	potassium hydroxide	ATP CLP00	
	215-181-3 019-002-00-8 01-2119487136-33- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Corr. 1A: H314 - Danger	2,5 - <5 %
CAS: 141-43-5		2-aminoethanol <sup>(1)</sup>	ATP CLP00	
Index: REACH:	205-483-3 603-030-00-8 01-2119486455-28- XXXX	Regulation 1272/2008 Acute Tox. 4: H302+H312+H332; Skin Corr. 1B: H314 - Danger	Acute Tox. 4: H302+H312+H332; Skin Corr. 1B: H314 - Danger	<2,5 %
CAS:	9043-30-5	Isotridecanol, ethoxy	ylated <sup>(1)</sup> Self-classified	
EC: Index: REACH:	500-027-2 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	<2,5 %
CAS:	1336-21-6	Ammonia = 25 %, a	queous solution <sup>(1)</sup> ATP CLP00	
	215-647-6 x: 007-001-01-2 H: 01-2119982985-14- XXXX XXX	Aquatic Acute 1: H400; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	<1 %	
CAS:	124-38-9	Carbon dioxide <sup>(1)</sup>	Self-classified	
EC: Index: REACH:	204-696-9 Non-applicable Non-applicable	Regulation 1272/2008	Press. Gas: H280 - Warning	<1 %

(1) Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

Identification	Specific concentration limit
CAS: 1310-58-3 EC: 215-181-3	% (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0,5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0,5<= % (w/w) <2: Eye Irrit. 2 - H319
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	% (w/w) >=5: STOT SE 3 - H335

\*\* Changes with regards to the previous version

### SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

#### SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

## By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

- CONTINUED ON NEXT PAGE -

Revised: 11/02/2022 Version: 4 (Replaced 3)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

# 6.3 Methods and material for containment and cleaning up:

### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

# A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:20 °CMaximum time:24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
2-butoxyethanol	IOELV (8h)	20 ppm	98 mg/m <sup>3</sup>
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL)	50 ppm	246 mg/m <sup>3</sup>
2-aminoethanol	IOELV (8h)	1 ppm	2,5 mg/m <sup>3</sup>
CAS: 141-43-5 EC: 205-483-3	IOELV (STEL)	3 ppm	7,6 mg/m <sup>3</sup>
Carbon dioxide	IOELV (8h)	5000 ppm	9000 mg/m <sup>3</sup>
CAS: 124-38-9 EC: 204-696-9	IOELV (STEL)		

DNEL (Workers):

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLL

# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m <sup>3</sup>	246 mg/m <sup>3</sup>	98 mg/m <sup>3</sup>	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
2-aminoethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>	0,51 mg/m <sup>3</sup>

## DNEL (General population):

		Short e	exposure	bsure Long exposure	
Identification		Systemic	Local	Systemic	Local
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m <sup>3</sup>	147 mg/m <sup>3</sup>	59 mg/m <sup>3</sup>	Non-applicable
potassium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-58-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-181-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m <sup>3</sup>
2-aminoethanol	Oral	Non-applicable	Non-applicable	1,5 mg/kg	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	1,5 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	0,18 mg/m <sup>3</sup>	0,28 mg/m <sup>3</sup>

### PNEC:

Identification				
2-butoxyethanol	STP	463 mg/L	Fresh water	8,8 mg/L
CAS: 111-76-2	Soil	2,33 mg/kg	Marine water	0,88 mg/L
EC: 203-905-0	Intermittent	26,4 mg/L	Sediment (Fresh water)	34,6 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	3,46 mg/kg
2-aminoethanol	STP	100 mg/L	Fresh water	0,07 mg/L
CAS: 141-43-5	Soil	1,29 mg/kg	Marine water	0,007 mg/L
EC: 205-483-3	Intermittent	0,028 mg/L	Sediment (Fresh water)	0,357 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,036 mg/kg

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks				
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.				
	As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.							

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# **ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY**

Wandstory face protection       Price of an and factors       CAT II       EN ISO 4007:2018       the manufactors         E. Body protection       Image: Solution of an and factors       EN ISO 4007:2018       the manufactors         E. Body protection       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 6         Image: Solution of an and factors       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 6         F Additional emergency measures       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 6         Emergency measure       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 6         F Additional emergency measures       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 80         Image: Solution of the emergency measures       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 80         Emergency measure       Image: Solution of an and factors       Image: Solution of an and factors       Replace be periods of proferecomment in EN ISO 80         Emergency shower       Image: Solution of an and factors       Image: Solu	Remarks y and disinfect periodically according facturer's instructions. Use if there i risk of splashing.
Pardating glask/projections.       CAT II       EN 150.2002       the manufall         En ISO 4007:2018       the manufall         E. Body protection         Pictogram       PPE       Labelling       CEN Standard       Replace be periods of proferecomments         Work clothing       CAT II       EN ISO 20347:2012       Replace be periods of proferecomments         F Additional emergency measures       Emergency measure       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Replace be periods of proferecomments         Energency measure       Standards       Emergency measure       Replace be periods of proferecomments         Energency shower       Iso 3864-1:2011, ISO 3864-4:2011       Eyewash stations       Exerceontencomments         Understore	facturer's instructions. Use if there
Pictogram       PPE       Labelling       CEN Standard         Work clothing       Image: CEN Standard       Replace be periods of profine commending EN 150 cmmending En 150 cm	
Work clothing       Keplace be periods of profine commending Number         Anti-slip work shoes       EN ISO 20347:2012         Replace be periods of profine commending Number       Replace be periods of profine commending Number         F Additional emergency measures       EN ISO 20347:2012         Emergency measure       Standards         Emergency measure       Standards         Emergency measure       ANSI Z358-1 ISO 3864-1:2011         Emergency shower       ISO 3864-4:2011         Emergency shower       Eyewash stations         Environmental exposure controls:       Nascondance with the community legislation for the protection of the environment it is recommend spillage of both the product and its container. For additional information see subsection 7.1.D.         Volatile organic compounds:       7,3 % weight         V.O.C. (Supply):       7,3 % weight         V.O.C. density at 20 °C:       205 kg/m³ (205 g/L).         Average carbon number:       4,68         Average molecular weight:       99,56 g/mol	
Work clothing       Image: Carrier of the product of the	Remarks
Anti-slip work shoes       EN ISO 20347:2012       periods of profice recommending in EN ISO         F Additional emergency measures         Image: Standards in the emergency measure in EN ISO 20347:2012       Image: Standards in Emergency measure in EN ISO         Image: Standards in the emergency measure in Emergency measure in EN ISO 20347:2012       Image: Standards in Emergency measure in EN ISO         Image: Standards in Emergency measure in Emergency measure in Emergency measure in Emergency shower       ISO 3864-1:2011, ISO 3864-4:2011       Image: Standards in Emergency measure in Exercise	efore any evidence of deterioration. prolonged exposure to the product fessional/industrial users CE III is ded, in accordance with the regulati 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
Emergency measure       Standards       Emergency measure         Image: Description of the service of the serv	efore any evidence of deterioration. prolonged exposure to the product essional/industrial users CE III is ded, in accordance with the regulati SO 20345:2012 y EN 13832-1:2007
ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011       Image: Content of the service controls: Eyewash stations         In accordance with the community legislation for the protection of the environment it is recommens spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (Supply):       7,3 % weight         V.O.C. density at 20 °C:       205 kg/m³ (205 g/L)         Average carbon number:       4,68         Average molecular weight:       99,56 g/mol	
ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011       Image: Expendence of the stations         Environmental exposure controls:       In accordance with the community legislation for the protection of the environment it is recommented in the product and its container. For additional information see subsection 7.1.D         Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (Supply):       7,3 % weight         V.O.C. density at 20 °C:       205 kg/m³ (205 g/L)         Average carbon number:       4,68         Average molecular weight:       99,56 g/mol	Standards
Environmental exposure controls:         In accordance with the community legislation for the protection of the environment it is recomme spillage of both the product and its container. For additional information see subsection 7.1.D         Volatile organic compounds:         With regard to Directive 2010/75/EU, this product has the following characteristics:         V.O.C. (Supply):       7,3 % weight         V.O.C. density at 20 °C:       205 kg/m³ (205 g/L)         Average carbon number:       4,68         Average molecular weight:       99,56 g/mol	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
CTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
L Information on basic physical and chemical properties:	
For complete information see the product datasheet.	
Appearance: Physical state at 20 °C: Aerosol	
Appearance: Fluid	
Colour: Colourless	
Odour: Characteristic Odour threshold: Non-applicable *	
Volatility:	
Boiling point at atmospheric pressure: Non-applicable *	
Vapour pressure at 20 °C: Non-applicable *	

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1072 kg/m³
	Relative density at 20 °C:	1,072
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SECTION 10: STABILITY AND REACTIVITY (continued)										
10.4 Conditions to avoid:										
1	Applicable for handling and storage at room temperature:									
	Shock and friction Contact with air Increase in temperature Sunlight Humidity									
	Not applicable	Not applicable	Not applicable	Avoid direct impact	Not applicable					
10.5 Incompatible materials:										
	Acids	Water	Oxidising materials	Combustible materials	Others					
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Not applicable					

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

#### **11.1** Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: 2-butoxyethanol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

# SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

## Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
potassium hydroxide	LD50 oral	388 mg/kg	Rat
CAS: 1310-58-3	LD50 dermal	>2000 mg/kg	
EC: 215-181-3	LC50 inhalation	>5 mg/L	
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit
EC: 203-905-0	LC50 inhalation	11 mg/L (ATEi)	
2-aminoethanol	LD50 oral	1089 mg/kg	Rat
CAS: 141-43-5	LD50 dermal	1100 mg/kg	
EC: 205-483-3	LC50 inhalation	11 mg/L (ATEi)	
Isotridecanol, ethoxylated	LD50 oral	500 mg/kg (ATEi)	
CAS: 9043-30-5	LD50 dermal	>2000 mg/kg	
EC: 500-027-2	LC50 inhalation	Non-applicable	
Ammonia = 25 %, aqueous solution	LD50 oral	>2000 mg/kg	
CAS: 1336-21-6	LD50 dermal	>2000 mg/kg	
EC: 215-647-6	LC50 inhalation	>20 mg/L	
Carbon dioxide	LD50 oral	>2000 mg/kg	
CAS: 124-38-9	LD50 dermal	>2000 mg/kg	
EC: 204-696-9	LC50 inhalation	>5 mg/L	

## **11.2** Information on other hazards:

### Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

\*\* Changes with regards to the previous version

# SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

### Acute toxicity:

Identification	Concentration		Species	Genus
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 111-76-2	EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-905-0	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

				1
Identification		Concentration	Species	Genus
potassium hydroxide	LC50	80 mg/L (48 h)	Gambussia afinis	Fish
CAS: 1310-58-3	EC50	Non-applicable		
EC: 215-181-3	EC50	Non-applicable		
2-aminoethanol	LC50	349 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 141-43-5	EC50	65 mg/L (48 h)	Daphnia magna	Crustace
EC: 205-483-3	EC50	22 mg/L (72 h)	Scenedesmus subspicatus	Algae
Ammonia = 25 %, aqueous solution	LC50	0,89 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1336-21-6	EC50	101 mg/L (48 h)	Daphnia magna	Crustace
EC: 215-647-6	EC50	Non-applicable		

### Chronic toxicity:

Identification	Concentration		Species	Genus
2-butoxyethanol	NOEC	100 mg/L	Danio rerio	Fish
CAS: 111-76-2 EC: 203-905-0	NOEC	100 mg/L	Daphnia magna	Crustacean
2-aminoethanol	NOEC	1,24 mg/L	Oryzias latipes	Fish
CAS: 141-43-5 EC: 205-483-3	NOEC	0,85 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	Degradability		Biodegradability	
2-butoxyethanol	BOD5	0,71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD	2,2 g O2/g	Period	14 days
EC: 203-905-0	BOD5/COD	0,32	% Biodegradable	96 %
2-aminoethanol	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 141-43-5	COD	Non-applicable	Period	21 days
EC: 205-483-3	BOD5/COD	Non-applicable	% Biodegradable	90 %

### **12.3** Bioaccumulative potential:

### Substance-specific information:

Identification		Bioaccumulation potential		
2-butoxyethanol	BCF	3		
CAS: 111-76-2	Pow Log	0.83		
EC: 203-905-0	Potential	Low		
2-aminoethanol	BCF	3		
CAS: 141-43-5	Pow Log	-1.31		
EC: 205-483-3	Potential	Low		
Ammonia = 25 %, aqueous solution	BCF			
CAS: 1336-21-6	Pow Log	-0.64		
EC: 215-647-6	Potential			

### 12.4 Mobility in soil:

Identification A		ion/desorption	Volatility	
2-butoxyethanol	Кос	8	Henry	1,621E-1 Pa·m <sup>3</sup> /mol
CAS: 111-76-2	Conclusion	Very High	Dry soil	No
EC: 203-905-0	Surface tension	2,729E-2 N/m (25 °C)	Moist soil	Yes
2-aminoethanol	Кос	0.27	Henry	3,7E-5 Pa·m <sup>3</sup> /mol
CAS: 141-43-5	Conclusion	Very High	Dry soil	No
EC: 205-483-3	Surface tension	5,025E-2 N/m (25 °C)	Moist soil	No
Carbon dioxide	Кос	Non-applicable	Henry	Non-applicable
CAS: 124-38-9	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-696-9	Surface tension	5,7E-4 N/m (25 °C)	Moist soil	Non-applicable
Results of PBT and vPvB assessment:				

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)

Product fails to meet PBT/vPvB criteria

### **12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

### **12.7** Other adverse effects:

Not described

\*\* Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	Dangerous

### Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

# Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

UN1950

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION \*\*

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021: 14.1 UN number or ID number:

×.	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
		Labels:	2.2, 8
	14.4	Packing group:	N/A
	14.5	Environmental hazards:	No
	14.6	Special precautions for user	
		Special regulations:	190, 327, 344, 625
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
da	ngero	us goods by sea:	

With regard to IMDG 40-20:

**Transport of** 

\*\* Changes with regards to the previous version

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

SECTION 14: TRANSPORT I	NFORMATION ** (continued	
14.1	UN number or ID number:	UN1950
	UN proper shipping name:	AEROSOLS
	Transport hazard class(es):	2
	Labels:	2.2, 8
14.4	Packing group:	N/A
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	63, 959, 190, 277, 327, 344
	EmS Codes:	F-D, S-U
	Physico-Chemical properties:	see section 9
	Limited quantities:	1 L
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dangero	us goods by air:	
With regard to IATA/ICA	O 2022:	
<b>A A 14.1</b>	UN number or ID number:	UN1950
	UN proper shipping name:	AEROSOLS
	Transport hazard class(es):	2
	Labels:	2.2, 8
14.4	Packing group:	N/A
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

\* Changes with regards to the previous version

# SECTION 15: REGULATORY INFORMATION

1 Safety, health and environmental regulations/legislation specific for the su	bstance or mixture:
Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (RE/	ACH): Non-applicable
Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: N	lon-applicable
Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-a	applicable
Article 95, REGULATION (EU) No 528/2012: Carbon dioxide (Product-type 15, 18)	
REGULATION (EU) No 649/2012, in relation to the import and export of hazardous ch	nemical products: Non-applicable
Regulation (EC) No 648/2004 on detergents:	
In accordance with this regulation the product complies with the following:	
The tensoactives contained in this mixture comply with the biodegradibility criteria sti detergents. The information to prove this is available to the relevant authorities of the by direct request or the request of a detergent manufacturer. <b>Labelling for contents:</b>	
Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Seveso III:	
Non-applicable	
Limitations to commercialisation and the use of certain dangerous substand	ces and mixtures (Annex XVII REACH

etc ....):

- CONTINUED ON NEXT PAGE -

Version: 4 (Replaced 3)

Revised: 11/02/2022

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

# SECTION 15: REGULATORY INFORMATION (continued)

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 94/1/EC of 6 January 1994 adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of the relating Member States to aerosol dispensers

Commission Directive 2008/47/EC of 8 April 2008 amending, for the purposes of adapting to technical progress, Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers

Commission Directive 2013/10/EU of 19 March 2013 amending Council Directive 75/324/EEC on the approximation of the laws of the Member States relating to aerosol dispensers in order to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

COMMISSION DIRECTIVE (EU) 2016/2037 of 21 November 2016 amending Council Directive 75/324/EEC as regards the maximum allowable pressure of aerosol dispensers and to adapt its labelling provisions to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION \*\*

## Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

2-aminoethanol (141-43-5) Ammonia = 25 %, aqueous solution (1336-21-6) Carbon dioxide (124-38-9) Isotridecanol, ethoxylated (9043-30-5) Substances that contribute to the classification (SECTION 2): New declared substances potassium hydroxide (1310-58-3) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Pictograms Hazard statements Precautionary statements TRANSPORT INFORMATION (SECTION 14): UN number Texts of the legislative phrases mentioned in section 2:

\*\* Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# ŚRODEK DO CZYSZCZENIA FILTRÓW DPF - CLEANER DIESEL PARTICULATE FILTERS - SPRAY

H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H229: Pressurised container: May burst if heated.
Texts of the legislative phrases mentioned in section 3:
The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
CLP Regulation (EC) No 1272/2008:
Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation.
Press. Gas: H280 - Contains gas under pressure, may explode if heated.
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
STOT SE 3: H335 - May cause respiratory irritation.
Classification procedure:
Skin Corr. 1B: Calculation method
Eye Dam. 1: Calculation method
Aerosol 3: Calculation method
Advice related to training:
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension a interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://echa.europa.eu
http://eur-lex.europa.eu
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

\*\* Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -