This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Agent for cleaning and polishing paints on car bodies.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Agencja Handlowa BOLL Wojciech Dalewski Spółka Jawna ul. Chemiczna 3 65-713 Zielona Góra - Polska Phone: 68 451 99 99 - Fax: 68 451 99 00 huszcza@boll.pl

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Flam. Sol. 1: Flammable solids, Category 1, H228 Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

H228 - Flammable solid.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.

Precautionary statements:

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/eye protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification

Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: a mixture of wax, fine abrasive materials, silicone oils, emulsifiers and excipients in water **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:		Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics ⁽¹⁾ Self-classified		
EC: Index: REACH:	919-857-5 Non-applicable 01-2119463258-33- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H336; EUH066 - Danger	20 - <30 %
CAS: 110-91-8		morpholine ⁽¹⁾	ATP CLP00	
EC: Index: REACH:	203-815-1 613-028-00-9 01-2119496057-30- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Flam. Liq. 3: H226; Skin Corr. 1B: H314 - Danger	<5 %
CAS:		Propane-1,2-diol ⁽¹⁾	Not classified	
EC: Index: REACH:	200-338-0 Non-applicable 01-2119456809-23- XXXX	Regulation 1272/2008		1 - <5 %

⁽¹⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 02/03/2023

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

- CONTINUED ON NEXT PAGE -

Version: 3 (Replaced 2)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 5: FIREFIGHTING MEASURES (continued)

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

6.4

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

AVOID ANY IGNITION SOURCE, as well as combustible and/or inflammable material. Devices and systems must comply with the essential safety and health requirements and, with the minimum requirements for improving the health and safety protection of workers. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 7: HANDLING AND STORAGE (continued)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 10 °C

Maximum Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		Occupational exposure limits			
morpholine		IOELV (8h)	10 ppm	36 mg/m ³		
CAS: 110-91-8	EC: 203-815-1	IOELV (STEL)	20 ppm	72 mg/m ³		

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
morpholine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 110-91-8	Dermal	Non-applicable	Non-applicable	1,04 mg/kg	Non-applicable
EC: 203-815-1	Inhalation	Non-applicable	72 mg/m ³	91 mg/m ³	36 mg/m ³
Propane-1,2-diol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 57-55-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-338-0	Inhalation	Non-applicable	Non-applicable	168 mg/m ³	10 mg/m ³

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
morpholine	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 110-91-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 203-815-1	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
Propane-1,2-diol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 57-55-6	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-338-0	Inhalation	Non-applicable	Non-applicable	50 mg/m ³	10 mg/m ³

PNEC:

PNEC:				
Identification				
morpholine	STP	10 mg/L	Fresh water	0,163 mg/L
CAS: 110-91-8	Soil	0,269 mg/kg	Marine water	0,016 mg/L
EC: 203-815-1	Intermittent	0,09 mg/L	Sediment (Fresh water)	1,83 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,183 mg/kg

Version: 3 (Replaced 2)

Revised: 02/03/2023

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RĘCZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Propane-1,2-diol	STP	20000 mg/L	Fresh water	260 mg/L
CAS: 57-55-6	Soil	50 mg/kg	Marine water	26 mg/L
EC: 200-338-0	Intermittent	183 mg/L	Sediment (Fresh water)	572 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	57,2 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

, ,				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Antistatic and fireproof protective clothing		EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2002 EN ISO 14116:2015 EN 1149-5:2018	Limited protection against flames.
Mandatory foot protection	Safety footwear with antistatic and heat resistant properties		EN ISO 13287:2020 EN ISO 20345:2011	Replace boots at any sign of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	+	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECT	ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
9.1	Information on basic physical and chemical	properties:			
	For complete information see the product datashe				
	Appearance:				
	Physical state at 20 °C:	Solid			
	Appearance:	Paste			
	Colour:	Beige			
	Odour:	 Characteristic			
	Odour threshold:	Non-applicable *			
	Volatility:				
	Boiling point at atmospheric pressure:	Non-applicable *			
	Vapour pressure at 20 °C:	Non-applicable *			
	Vapour pressure at 50 °C:	Non-applicable *			
	Evaporation rate at 20 °C:	Non-applicable *			
	Product description:				
	Density at 20 °C:	Non-applicable *			
	Relative density at 20 °C:	Non-applicable *			
	Dynamic viscosity at 20 °C:	Non-applicable *			
	Kinematic viscosity at 20 °C:	Non-applicable *			
	Kinematic viscosity at 40 °C:	>20,5 mm²/s			
	Concentration:	Non-applicable *			
	pH:	8 - 10			
	Vapour density at 20 °C:	Non-applicable *			
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *			
	Solubility in water at 20 °C:	Non-applicable *			
	Solubility properties:	Insoluble in water			
	Decomposition temperature:	Non-applicable *			
	Melting point/freezing point:	Non-applicable *			
	Flammability:				
	Flash Point:	52 °C			
	Flammability (solid, gas):	H228 Flammable solid.			
	Autoignition temperature:	Non-applicable *			
	Lower flammability limit:	Not available			
	Upper flammability limit:	Not available			
	Explosive (Solid):				
	Lower explosive limit:	Non-applicable *			
	Upper explosive limit:	Non-applicable *			
	Particle characteristics:				
	Median equivalent diameter:	Non-applicable *			
9.2	Other information:				
	Information with regard to physical hazard				
	Explosive properties:	Non-applicable *			
	Oxidising properties:	Non-applicable *			
	Corrosive to metals:	Non-applicable *			
	*Not relevant due to the nature of the product, not providing	g information property of its hazards.			

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)			
Heat of combustion:	Non-applicable *		
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *		
Other safety characteristics:			
Surface tension at 20 °C:	Non-applicable *		
Refraction index:	Non-applicable *		
*Not relevant due to the nature of the product, not providing info	*Not relevant due to the nature of the product, not providing information property of its hazards.		

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Precaution	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION II: TOXICOLOGICAL INFORMATION	ECTION 11: TOXICOLOGICAL INFORMAT	FION ³	
---------------------------------------	-----------------------------------	-------------------	--

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RĘCZNEGO - PASTE FOR POLISHING MANUAL SPEED

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction): Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: morpholine (3): Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics (3) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. E- Sensitizing effects: - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. F- Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3. G- Specific target organ toxicity (STOT)-repeated exposure: Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3. H- Aspiration hazard: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3. **Other information:** Non-applicable Specific toxicology information on the substances: Identification Acute toxicity Genus LD50 oral 1050 mg/kg morpholine Rat CAS: 110-91-8 LD50 dermal 900 mg/kg Rat EC: 203-815-1 LC50 inhalation 11 mg/L (4 h) Rat LD50 oral Propane-1,2-diol >2000 mg/kg LD50 dermal CAS: 57-55-6 >2000 mg/kg LC50 inhalation EC: 200-338-0 >20 mg/L Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics LD50 oral 5000 mg/kg Rat CAS: 64742-48-9 LD50 dermal >2000 mg/kg

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

FC: 919-857-5

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

LC50 inhalation

>20 mg/L

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

Identification		Concentration	Species	Genus
morpholine	LC50	380 mg/L (96 h)	Salmo gairdneri	Fish
CAS: 110-91-8	EC50	100 mg/L (24 h)	Daphnia magna	Crustacea
EC: 203-815-1	EC50	28 mg/L (96 h)	Selenastrum capricornutum	Algae
Propane-1,2-diol	LC50	51400 mg/L (96 h)	Pimephales promelas	Fish
CAS: 57-55-6	EC50	10000 mg/L (24 h)	Daphnia magna	Crustacea
EC: 200-338-0	EC50	19100 mg/L (336 h)	Selenastrum capricornutum	Algae
Chronic toxicity:				
Identification		Concentration	Species	Genus
morpholine	NOEC	Non-applicable		
CAS: 110-91-8 EC: 203-815-1	NOEC	5 mg/L	Daphnia magna	Crustacea
Propane-1,2-diol	NOEC	Non-applicable		
CAS: 57-55-6 EC: 200-338-0	NOEC	13020 mg/L	Ceriodaphnia sp.	Crustace

Identification	Degradability		Biodegradability	
Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 64742-48-9	COD	Non-applicable	Period	28 days
EC: 919-857-5	BOD5/COD	Non-applicable	% Biodegradable	80 %
morpholine	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 110-91-8	COD	Non-applicable	Period	14 days
EC: 203-815-1	BOD5/COD	Non-applicable	% Biodegradable	0 %
Propane-1,2-diol	BOD5	1,08 g O2/g	Concentration	100 mg/L
CAS: 57-55-6	COD	1,63 g O2/g	Period	28 days
EC: 200-338-0	BOD5/COD	0,66	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioac	Bioaccumulation potential		
morpholine	BCF	3		
CAS: 110-91-8	Pow Log	-0.86		
EC: 203-815-1	Potential	Low		
Propane-1,2-diol	BCF	1		
CAS: 57-55-6	Pow Log	-0.92		
EC: 200-338-0	Potential	Low		

12.4 Mobility in soil:

Identification	Absorpt	Absorption/desorption		Volatility	
morpholine	Кос	Non-applicable	Henry	Non-applicable	
CAS: 110-91-8	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 203-815-1	Surface tension	3,716E-2 N/m (25 °C)	Moist soil	Non-applicable	
Propane-1,2-diol	Кос	Non-applicable	Henry	Non-applicable	
CAS: 57-55-6	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 200-338-0	Surface tension	3,547E-2 N/m (25 °C)	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

Code		Dermint	on	Waste class (Regulation (
		Descriptio	ווט	1357/2014)
1.1	ent waxes			Dangerous
		tion (EU) No 1357/2014):		
-		cific Target Organ Toxicity (STOT))/Aspiration Toxicity	
		lisposal and evaluation):		
2 (Directive 2008, he product, it wil Vaste should not	/98/EC). Il be pro be disp	aste service manager on the asses As under 15 01 (2014/955/EC) or cessed the same way as the actua osed of to drains. See paragraph (waste management:	f the code and in case the cor al product. Otherwise, it will be	tainer has been in direct contact
•		II of Regulation (EC) No 1907/20	NG (REACH) the community of	r state provisions related to wast
nanagement are			JUO (REACH) THE COMMUNICY C	i state provisions related to wast
5		rective 2008/98/EC, 2014/955/EU	, Regulation (EU) No 1357/20	14
N 14. TRANS		INFORMATION **		
-	-	us goods by land:		
with regard to A		1 and RID 2021: UN number or ID number:	11012175	
			UN3175	
		UN proper shipping name:	SOLIDS CONTAINING FLAM	MADLE LIQUID, N.U.S.
	14.3	Transport hazard class(es):	4.1	
	144	Labels:	4.1	
4		Packing group:	II	
\ \		Environmental hazards:	No	
	14.6	Special precautions for user	216 274 601	
		Special regulations:	216, 274, 601	
		Tunnel restriction code:	E	
		Physico-Chemical properties:	see section 9	
		Limited quantities:	1 kg	
		Maritime transport in bulk according to IMO instruments:	Non-applicable	
-	-	us goods by sea:		
With regard to I	MDG 40	-20:		
		UN number or ID number:	UN3175	
		UN proper shipping name:	SOLIDS CONTAINING FLAM	MABLE LIQUID, N.O.S.
	14.3	Transport hazard class(es):	4.1	
		Labels:	4.1	
		Packing group:	II	
4		Marine pollutant:	No	
`₹∕	14.6	Special precautions for user		
		Special regulations:	274, 216	
		EmS Codes:	F-A, S-I	
		Physico-Chemical properties:	see section 9	
		Limited quantities:	1 kg	
		Segregation group:	Non-applicable	
		Segregation group.	Non applicable	

** Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BOLL

PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

PORT INFORMATION ** (continue angerous goods by air: ATA/ICAO 2022:	d)
 14.1 UN number or ID number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Labels: 14.4 Packing group: 14.5 Environmental hazards: 14.6 Special precautions for user 	UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. 4.1 4.1 II No
Physico-Chemical properties: 14.7 Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable

** Changes with regards to the previous version

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

Revised: 02/03/2023

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Version: 3 (Replaced 2)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



PASTA DO POLEROWANIA RECZNEGO - PASTE FOR POLISHING MANUAL SPEED

. 1 1(ON 16: OTHER INFORMATION (continued)
	COMMISSION REGULATION (EU) 2020/878 COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): · New declared substances
	Propane-1,2-diol (57-55-6)
	Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics (64742-48-9)
	· Removed substances
	Naphtha (petroleum), hydrotreated heavy, < 0.1% EC 200-753-7 (64742-48-9)
(CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):
	· Precautionary statements
-	· Supplementary information
I	rransport Information (Section 14): · UN number
	· Packing group
٦	Fexts of the legislative phrases mentioned in section 2:
	H228: Flammable solid.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
1	Texts of the legislative phrases mentioned in section 3:
٦	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the
i	ndividual components which appear in section 3
(CLP Regulation (EC) No 1272/2008:
ŀ	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H336 - May cause drowsiness or dizziness.
	Classification procedure:
	Skin Irrit. 2: Calculation method
	Eye Dam. 1: Calculation method
	Advice related to training:
	Fraining is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension a
	nterpretation of this safety data sheet, as well as the label on the product.
	Principal bibliographical sources:
	http://echa.europa.eu
	nttp://eur-lex.europa.eu
ļ	Abbreviations and acronyms:
ŀ	ADR: European agreement concerning the international carriage of dangerous goods by road
	MDG: International maritime dangerous goods code
	ATA: International Air Transport Association
	CAO: International Civil Aviation Organisation
	COD: Chemical Oxygen Demand 3OD5: 5day biochemical oxygen demand
	3CF: Bioconcentration factor
	D50: Lethal Dose 50
	C50: Lethal Concentration 50
E	EC50: Effective concentration 50
	ogPOW: Octanolwater partition coefficient
	Koc: Partition coefficient of organic carbon
	JFI: unique formula identifier
1	ARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -